

 **AIPHONE**

# IX | IXG SERIES

IP VIDEO INTERCOM

UNCOMPROMISED SECURITY



IX|IXG SERIES  
QR CODE  
VISITOR ACCESS PASS



ALPHONE  
IXG-EMF-HDA



# IX | IXG SERIES

## IP VIDEO INTERCOM


Transform communication and security with the **IX | IXG Series**, the most powerful and customizable IP video intercom solution on the market. Designed to cover commercial, multi-tenant, and mixed-use environments, the solution offers a wide range of door stations, answering stations, and emergency options to meet the needs of any property. The IX | IXG app provides a frictionless experience for users and visitors to see, speak, and unlock doors.

Elevate your access control to an enterprise level by integrating the IX | IXG with the **AC Series**. The AC Series allows for centralized management of entries, streamlined credentialing, and access control to every door.

# IX | IXG SERIES

CREATING A COMPREHENSIVE  
SECURITY ECOSYSTEM

Engineered with purpose, and leveraging industry standards like SIP and ONVIF,<sup>®</sup> the IX | IXG seamlessly integrates with all layers of security infrastructure, including IP cameras and VMS solutions.





**VIDEO ANSWERING STATION**

Supports two-way communication, call transfer, and recording.



**VIDEO DOOR STATION**

Streamlines visitor access with video identification and touchless calling in a mullion-mount style chassis.



**MOBILE APP**

Empowers tenants with the convenience to see and speak with visitors using their mobile devices.



**PC ANSWERING STATION SOFTWARE**

Centralizes visitor management and monitoring on laptop or desktop computers.



**VIDEO TENANT STATION**

Allows tenants inside their building to screen visitors before unlocking the entrance.



**COMPACT EMERGENCY WALL BOX**

Provides tenants with emergency communication in parking garages, stairwells, and other confined areas.




**VIDEO ENTRANCE STATION**

Welcomes visitors with a secure, modern video entry experience, built to withstand harsh weather.



**CAMPUS EMERGENCY TOWER**

Helps deter criminal intent while being an immediate means to call for help in an emergency.



# DOOR STATIONS

Secure your premises with the IX|IXG Series, built to the highest standards for integration and reliability.

## DURABLE DESIGN, WEATHERPROOF PERFORMANCE

Built to withstand the harshest conditions, the IX|IXG series features IP65 and IK08 certified durability, providing robust protection against weather and vandalism. This ensures reliable performance in any environment. With a variety of mounting options, these devices seamlessly blend into your building's aesthetic.

## SEAMLESS INTEGRATION FOR THE ULTIMATE PROTECTION

Our intercoms are SIP and ONVIF<sup>®</sup> compliant, allowing seamless integration with leading providers of IP cameras, video management systems, and access controls. This open architecture empowers you to build a customized security ecosystem that evolves alongside your needs.



**IXG-DM7-HIDA**  
IP Video Door Station  
with HID<sup>®</sup> Card Reader

13-11/16" H x 7-3/16" W

- Customizable 7" touchscreen
- Flexible tenant directory
- QR code access
- Built-in HID<sup>®</sup> reader
- Tamper sensor
- IK08, IP65
- Flush mount or surface mount with SBX-IXGDM7



**IX-DV**  
IP Video Door Station

8-1/16" H x 4-1/2" W

- HD camera
- PoE passthrough
- 2 contact outputs, 6 inputs
- IK08, IP54
- Surface mount



IX-DVF-L



IX-DVF-HW



IX-DVF-PR



**IX-EA**

IP Video Door Station

6-5/16" H x 3-15/16" W

- HD camera
- Compact and lightweight design
- 1 contact output, 1 input
- IP54
- Surface mount



**IX-DVM**

Mullion-Mount IP Video Door Station

1-7/8" W x 6-7/8" H x 1-5/16" D

- WDR HD camera
- Optional touchless calling
- 1 contact output, 1 input
- IK07, IP54
- Mullion surface mount




**IX-DVF**

IP Video Door Station

10-7/16" H x 5-7/8" W

- HD Camera
- PoE passthrough
- Flush mount
- 2 contact outputs, 6 inputs
- IK08, IP65
- Flush mount or surface mount with SBX-IXDVF



**IX-SS-2G**

IP Audio Door Station

4-3/4" H x 4-3/4" W

- 1 contact output, 1 input
- IK08, IP65
- Flush mount with 2-gang back box or surface mount with SBX-2G/A



**IX-DVF-10KP**



**IX-DVF-4A**



**IX-DVF-6**



**IX-NVP**



**IX-NVP2**

# ANSWERING STATIONS

With the IX|IXG Series, you have the flexibility to communicate and unlock doors using answering stations, VoIP phones, mobile apps, and PCs.

## INTUITIVE EXPERIENCE

The home screen offers quick access to essential functions like monitoring, call history, favorites, status, settings, and paging.

## CALL TRANSFERS

Its versatile call transfer options include transferring active calls, automatic forwarding when absent, transferring unanswered calls after a set time, and convenient scheduling options.

## MONITORING AND RECORDING

The answering station monitors and records video from connected door stations and network cameras.

## DOOR RELEASE

Tie directly to electric locks or integration with access control solutions to enable remote unlocking of doors from the answering station.

## IXGW-TGW CLOUD GATEWAY

Our Cloud Gateway allows you to answer video intercom calls and remotely unlock doors using your mobile device, either through the IXG mobile app or a regular phone call. It provides a reliable LTE connection via a SIM card for seamless communication, even if your primary network is down.



## IX-MV7-HB IX-MV7-HW-JP

Touchscreen Answering Stations with Handset


8-1/16" H x 11" W x 2-3/16" D

- 7" touchscreen
- 8 customizable speed dial buttons
- 2 contact outputs, 4 trigger inputs
- Audio and video recording capability
- Wall or desk mount



## IXG MOBILE APP

- Video calling and answering
- Remote door release
- Intuitive user interface
- Generate temporary QR code access





# ACCESSORIES



## IX-MV7-B IX-MV7-W

Touchscreen Answering Stations

6-3/4" H x 8-11/16" W x 1-1/4" D

- 7" touchscreen
- 8 customizable speed dial buttons
- 2 contact outputs, 4 trigger inputs
- Audio and video recording capability
- Wall or desk mount



## IX-SOFT

PC Answering  
Station Software



## IXW-MAA-SOFT

Multi-Purpose Adaptor  
with PC Answering  
Station Software

- Complete answering station features
- 50 highly customizable speed dial buttons
- Record custom message pages
- Interactive map
- Line supervision and device check



## IXGW-TGW

Cloud Gateway

- PoE
- 8 simultaneous calls per adaptor
- Supports up to 9,999 mobile apps
- Available 4G LTE data connection
- Allows telephone calls from door and entrance stations
- Provides access to AiphoneCloud Remote Management



## IXW-MAA

Multi-Purpose Relay Adaptor

- 802.3af PoE
- Ten Form C relay outputs
- Four contact inputs
- 24V AC/DC 500mA relay contact rating
- Mountable to a 170mm DIN rail or directly to a wall



## IPW-1VC

Two-Wire Network Adaptor Kit


- Provides PoE with included power supply
- Up to 1,000' on 22AWG wire
- Call up to 5 answering stations up to 500'
- Call up to 3 answering stations up to 1000'



IX-MB



SBX-IXDV30



SBX-IDVF



SBX-IDVFRA



SBX-IXGDM7



SBX-2G/A

# EMERGENCY PRODUCTS


We provide a unified security communication platform, offering ADA compliant emergency call stations, towers, and wall boxes.



**IX-DVF-2RA**  
IP Video Emergency  
Call Station

11-11/16" H x 7" W

- HD camera
- ADA compliant raised lettering and braille signage
- Buttons for standard and emergency calls
- PoE passthrough
- 2 contact outputs, 6 trigger inputs
- IK08, IP65



**IX-SSA-2RA**  
IP Audio Emergency  
Call Station

11-11/16" H x 7" W

- ADA compliant raised lettering and braille signage
- Buttons for standard and emergency calls
- PoE passthrough
- 2 contact outputs, 6 trigger inputs
- IK08, IP65



**IX-DVF-RA**



**IX-SSA-RA**

French versions available:  
IX-DVF-2RA-FR,  
IX-DVF-RA-FR,  
IX-SSA-2RA-FR,  
IX-SSA-RA-FR



**TW-SA TW-SE**  
Short Tower

73" H x 8" W x 8" D



**TW-TA TW-TE**  
Tower

112" H x 8" W x 8" D



**TW-TA-ARM TW-TE-ARM**  
Tower with Camera Arm

174" H x 8" W x 15-3/4" D



**WB-HA WB-HE**  
Compact Wall Box

27" H x 10-13/16" W x 4" D

- 12-gauge stainless steel
- ADA compliant 4" depth
- UL Listed electrical box allows power to be installed internally

**TW-TA-SP TW-TE-SP**  
Tower with Speaker

**TW-TA-ARM-SP TW-TE-ARM-SP**  
Tower with Camera Arm and Speaker

- Durable, lightweight aluminum makes installation easy
- UL-514-A listed electrical box included at the base
- ADA compliant intercom mounting height
- Beacon is always lit and strobes during emergency call-in
- LED for station illumination in station over-hang
- Camera arm has universal pipe threading



**WB-CA WB-CE**

**TWS-Z4**  
Sets also available for zones 1 and 2

# TECHNOLOGY PARTNERS



# CHOSEN BY THOUSANDS OF ORGANIZATIONS



UNCOMPROMISED SECURITY  
POWERED BY HUMAN CONNECTION

 **AIPHONE**.com

info@aiphone.com for sales inquiries

