




ACCESS CONTROL






AC Nio™ Access Control


An intuitive and scalable access management software designed for businesses of all sizes. Easily manage your building's security with our enterprise-level features, helping you enhance security, streamline access management, and improve operational efficiency.

MAXIMIZE EFFICIENCY WITH MOBILE APPS



AC Nio Admin Administrative Mobile App

- Add, edit, and monitor all sites, locations, and users
- Issue credentials, revoke access, view recent alerts, and get notifications
- See real-time status of doors, floors, inputs, and outputs



AC Key Digital Key Mobile App

- Unlock doors using a mobile device in addition to physical credentials
- Create visitor passes for guests to grant them temporary access
- Functions available in the IXG Mobile App

OUR STANDARDS SET US APART




POWERFUL & INTUITIVE

Modern dashboard features a clean, user-friendly design. Easily manage admin permissions, customize access schedules, and receive real-time security alerts.



HARDWARE FLEXIBILITY

Deploy on-premises or in the cloud using the same hardware. Easily transition without additional hardware or replacement costs.




DESIGNED TO SCALE

Whether you need to secure a multi-site facility or a single building, our flexible access control solution can adapt to your security environment.




NIO SCRIPTING ENGINE

Third-party integration is easy with our open APIs. Control external applications with our Nio scripting engine.



INTEGRATION

Combine access control with intercoms, video management solutions, and wireless locks for a unified security ecosystem.



COMPETITIVE PRICING

We offer flexible licensing options and competitive cloud pricing to support a wide range of projects.



BUILT FOR EFFICIENT SYSTEM TAKEOVER

AC Nio integrates with existing credentials and hardware, protecting your infrastructure investment while upgrading to modern cloud-based management.

EASILY MANAGE COMPLEX TASKS

Simplify bulk changes, partition scoping, and permission management. Control sophisticated conditional actions such as triple swipe, special credential, duress code, and input.

PARTITION ACCESS AND PRIVILEGES

Administrator permissions are fully customizable, allowing you to precisely define what each administrator can view, edit, delete, and manage.

NOTIFICATION MANAGEMENT

Personalize notifications based on specific criteria or alert types. Send customized bulk notifications to specific administrator groups.

ACTIVE MAPS

Active Maps provide an interactive, real-time view of your facility. Keep track of users and their locations all within a single, intuitive interface.

ACTIVE DIRECTORY INTEGRATION

AC Nio automatically synchronizes Security Groups with Active Directory and Entra ID, eliminating the need to manage users across multiple systems.

BADGE DESIGN AND ISSUANCE

Create professional photo badges natively within AC Nio and tailor them without needing third-party software.

THE CLOUD ADVANTAGE

✓ NO SERVERS OR MAINTENANCE HEADACHES

With AC Nio Cloud, everything is hosted securely online. No server setup, no patching, no backup management.

✓ ALWAYS CURRENT AND PROTECTED

AC Nio Cloud keeps your Aiphone access control system current with the latest firmware features.

✓ PREDICTABLE SUBSCRIPTION-BASED PRICING

Shift from large upfront capital expenses to a manageable expense model that scales with your business operations.

✓ SECURE AND RELIABLE


Your data is protected and always accessible. Even if local hardware fails, data remains safe and recoverable.

✓ EFFORTLESS SCALABILITY

Add doors, users, or entire facilities at your own pace, all without complex networking and expensive servers.

✓ FUTURE-READY ARCHITECTURE

Prepare your security infrastructure for emerging technologies like AI-driven analytics, mobile credentials, and zero-trust access.



ACCESS CONTROL HARDWARE




AC-2DM-B

AC-2DM-W

PoE Two-Door
Access Controller

3-1/2"H 10"W 2-3/8"D

- Over the door design with built-in motion detection
- PoE provides power to locks and readers
- On-board LCD status screen



ACS-2DR

Two-Door Access
Control Starter Kit

- One master controller, one AC-2DE expander board, and two AC-STRIPs
- Sold separately for AC-CA1 enclosure



ACS-2DR-C

Two-Door Access Control
Starter Kit with Enclosure

19-3/8"H 13-5/8"W 3"D

- 2 to 8 door controllers
- Dedicated wet output for each lock
- Expand up to 24 inputs, 16 outputs, and 8 Wiegand reader inputs
- On-board LCD status screen
- Stores up to 50,000 events locally
- OSDP version available



AC-CA1

Trovel Starter Kit
with Enclosure

18"H 14-1/2"W 4-9/16"D

- Altronix™ Trovel enclosure is larger with a removable backplane
- Includes eFlow6NB UL listed power supply
- External power for each strike
- Altronix battery-backup supplied separately, installed inside the enclosure



ACS-IO

I/O Starter Kit
with Enclosure

19-3/8"H 13-5/8"W 3"D

- One master controller and one AC-IOE
- Expandable to 64 inputs and 64 outputs per door master controller with 8 AC-IOE
- Monitor unmanaged doors



ACS-ELV

Elevator Access Control
Starter Kit with Enclosure

19-3/8"H 13-5/8"W 3"D

- Supports up to 64 floors per master controller
- 64 floors can be split between two cabs in intervals of 8
- Enhances access control management capabilities
- Reader inputs on AC-2DE for elevator access

PROXIMITY READER & BLUETOOTH ACCESSORIES



AC-PROX-1G

Proximity Reader

4-7/16" H 1-5/8" W 3/4" D

- Mullion and 1-gang combo indoor/outdoor proximity reader
- Wiegand output
- 125kHz



AC-10K-1G

Proximity Reader with Keypad

4-5/16" H 3" W 11/16" D

- 1-gang indoor/outdoor proximity reader with capacitive keypad
- Wiegand output
- Program access codes in AC Nio™
- 125kHz



AC-10K-M

Mullion-Mount Proximity Reader with Keypad

6-1/8" H 1-3/4" W 15/16" D

- Slim mullion mount indoor/outdoor proximity reader with capacitive keypad
- Wiegand output
- Program access codes in AC Nio™
- 125kHz



AC-BT-10K

Bluetooth Reader with Keypad

4-3/16" H 3-1/8" W 1" D

- 1-gang indoor/outdoor Bluetooth® reader with capacitive keypad
- Wiegand output
- Supports STiD Mobile ID for Google Android™ and Apple™ iOS
- Program access codes in AC Nio™



AC-BT-M

Bluetooth Reader

4-3/8" H 1-11/16" W 7/8" D

- Slim mullion mount indoor/outdoor Bluetooth® reader
- Wiegand output
- Supports STiD Mobile ID for Google Android™ and Apple™ iOS



AC-PC

AC-PF

AC-PT

Proximity Card, Fob, and Tag

- Two format versions: standard HID® 26-bit and Aiphone 40-bit
- 125kHz



UNCOMPROMISED SECURITY

Powered by Human Connection

info@aiphone.com for sales inquiries