



IP INTERCOM  
EMERGENCY  
SOLUTIONS



# IP INTERCOMS FOR EMERGENCY RESPONSE

In critical situations, every second matters. The IX|IXG Series provides instant, reliable emergency communication between those in need of assistance and security personnel. Our solutions deliver everyday security to protect people in parking garages, on campuses, and around public spaces.

## INTEGRATION



### DIAL OUT

Place or transfer calls to security operation centers or emergency services with SIP.



### STREAMING

Integrate third-party IP cameras and video management systems with ONVIF.<sup>®</sup>

## ACCESSIBLE & DURABLE



### ADA COMPLIANT


Discern stations with identifiable bright LED lighting, red call button, and prominent braille signage.



### WEATHER & VANDAL RESISTANT

Call stations withstand harsh weather conditions and can endure high-traffic areas with their durable, stainless steel design.

## INSTALLATION & MONITORING MADE EASY



### FLEXIBLE INSTALLATION OPTIONS

Delivers reliable power with hardwired or solar setups for any application and environment.



### DEVICE CHECK

Verify status of emergency station camera, speaker, call button, relay inputs, and outputs to ensure consistent performance.

EMPOWER SAFETY WITH  
AIPHONE'S EMERGENCY  
COMMUNICATION



## SEAMLESS INTEGRATION WITH LEADING SYSTEMS

**Genetec**™

**LENEL S2**


**milestone**

**ALERTUS®**

**SOFTWARE HOUSE**

Aiphone's emergency solutions easily integrate with industry leaders like Genetec, Lenel S2, Milestone, Alertus, Software House, and more. These integrations ensure efficient management of intercoms, video surveillance, access control, and alarm systems, enhancing overall security.

Our intercoms are SIP and ONVIF® compliant, allowing seamless interoperability with leading providers of IP cameras, video management systems, and access control. This open architecture empowers you to build a customized security ecosystem that evolves alongside your needs.



## CREATE A COMPREHENSIVE SECURITY ECOSYSTEM

Secure every location on your property with the IX|IXG Series IP Video Intercom System. One solution for communication, emergency response, and access control.



PARKING LOTS  
PATHWAYS  
REMOTE AREAS



STAIRWELLS  
HALLWAYS  
PARKING GARAGES



RECEPTION DESKS  
OFFICES  
SECURITY CENTERS



ENTRANCES  
GATES  
INTERIOR DOORS



ELEVATORS  
UTILITY ROOMS  
WAREHOUSES


## EMERGENCY STATIONS



**IX-DVF-2RA** **IX-DVF-RA**  
IP Video Emergency Call Station

11-11/16" H 7" W

- HD camera
- ADA compliant raised lettering and braille signage
- Standard and emergency calls
- PoE passthrough
- 2 contact outputs, 6 trigger inputs
- IK08, IP65



**IX-SSA-2RA** **IX-SSA-RA**  
IP Audio Emergency Call Station

11-11/16" H 7" W

- ADA compliant raised lettering and braille signage
- Standard and emergency calls
- PoE passthrough
- 2 contact outputs, 6 trigger inputs
- IK08, IP65



French versions available: IX-DVF-2RA-FR, IX-DVF-RA-FR, IX-SSA-2RA-FR, IX-SSA-RA-FR



AIPHONE IX-DVF-2RA

*We provide a unified security communication platform, offering ADA compliant emergency call stations, towers, and wall boxes.*



**IX-MV7-HB**

**IX-MV7-HW-JP**

Touchscreen Answering Station with Handset

8-1/16" H 11" W 2-3/16" D

- 7" touchscreen
- 8 customizable speed dial buttons
- 2 contact outputs, 4 trigger inputs
- Audio and video recording capability
- Wall or desk mount



**IX-MV7-B**

**IX-MV7-W**

Touchscreen Answering Station

6-3/4" H 8-11/16" W 1-1/4" D

- 7" touchscreen
- 8 customizable speed dial buttons
- 2 contact outputs, 4 trigger inputs
- Audio and video recording capability
- Wall or desk mount



**IXG MOBILE APP**

- Video calling and answering
- Door release and relay control
- Intuitive user interface



**IX-SOFT**

PC Answering Station Software

- Complete answering stations features
- 50 customizable speed dial buttons
- Record custom message pages
- Interactive map
- Line supervision and device check



**IX-RS-B**



**IX-RS-W**

## WALL BOXES



**WB-CA**

Compact Wall Box with Cage

26"H 10-9/16" W 4"D

- 12-gauge stainless steel
- ADA compliant 4" depth
- UL Listed electrical box allows power to be installed internally



**WB-CE**

Compact Wall Box with Cage

26"H 10-9/16" W 4"D

- 12-gauge stainless steel
- ADA compliant 4" depth
- UL Listed electrical box allows power to be installed internally



**WB-HA**

Compact Wall Box with Hood

27"H 10-13/16" W 4"D

- 12-gauge stainless steel
- ADA compliant 4" depth
- UL Listed electrical box allows power to be installed internally



**WB-HE**


Compact Wall Box with Hood

27"H 10-13/16" W 4"D

- 12-gauge stainless steel
- ADA compliant 4" depth
- UL Listed electrical box allows power to be installed internally



## TOWERS



**TW-TA-ARM-SP**

**TW-TE-ARM-SP**

Tower with Camera  
Arm and Speaker

174" H  
8" W  
15-3/4" D

**TW-TA-ARM**

**TW-TE-ARM**

Tower with  
Camera Arm

174" H  
8" W  
15-3/4" D

**TW-TA-SP**

**TW-TE-SP**

Tower with  
Speaker

127" H  
8" W  
8" D

**TW-TA**

**TW-TE**

Tower

112" H  
8" W  
8" D

**TW-SA**

**TW-SE**

Short Tower

73" H  
8" W  
8" D

- Beacon is always lit and strobes during emergency call-in

- Available with a combination of a camera arm, speaker, or both

- Durable, lightweight aluminum makes installation easy

- ADA compliant intercom mounting height

- UL-514-A listed electrical box included at the base

- LED for station illumination in station over-hang

## SOLAR TOWER



### TWS-Z4

Zone 4 Solar Tower Set (also available for Zones 1 and 2)

Tower: 132"H 6"W

Solar Panel: 26-1/2"H 58-1/3"W 1-3/8"D

- Aluminum tower with 5052 aircraft grade aluminum electrical enclosure
- Solar panel and batteries for power
- Ubiquiti wireless point to point for network connectivity

## ACCESSORIES



### PS-POE

PoE Splitter

3-1/4"H 2-1/2"W 1"D

- Powers strobe light on emergency towers and wall boxes via PoE instead of using a separate power supply
- Compact design is discrete and easy to install
- Easily secures to mounting studs on back of stations or 1-gang box



### IXW-MAA

Multi-Purpose Adaptor

4-1/4"H 8-1/4"W 2-3/8"D

- PoE
- 10 Form C relay outputs
- 24V AC/DC 500mA relay contact rating
- Mountable to a 170mm DIN rail or directly to a wall



### MB-RF1

Retrofit Mounting Box

11-3/4"H 8-1/2"W 1-1/4"D

- Interface box for mounting an Aiphone emergency station onto a Code Blue® or Talk-A-Phone® tower/wall box



### TW-MKL

L-Bolt Mounting Kit


24" long 3/4" diameter

- Designed to securely mount Aiphone towers into a concrete base
- Includes mounting template to transfer onto plywood for easy installation
- Sold separately for pre-installation convenience

## TECHNOLOGY PARTNERS



## CHOSEN BY THOUSANDS OF ORGANIZATIONS



## GET YOUR EMERGENCY INTERCOM GUIDE

Emergency communication systems serve as lifelines in critical situations. Our guide can help you learn what features to consider and how to choose the best intercom solution to fit your security needs.

[aiphone.com/emergency-guide](http://aiphone.com/emergency-guide)



UNCOMPROMISED SECURITY

Powered by Human Connection



[info@aiphone.com](mailto:info@aiphone.com) for sales inquiries