



---

IX/IXG SERIES

IP VIDEO  
INTERCOM



**QR CODE VISITOR  
ACCESS PASS**



# IX|IXG SERIES

## IP VIDEO INTERCOM

Transform communication and security with the **IX|IXG Series**, the most powerful and customizable IP video intercom solution on the market. Designed to cover commercial, multi-tenant, and mixed-use environments, the solution offers a wide range of door stations, answering stations, and emergency options to meet the needs of any property. Its app provides a frictionless experience for users and visitors to see, speak, and unlock doors.

Integrate the IX|IXG Series with our **AC Nio** access control solution to monitor activities, streamline audits, and centralize oversight across all locations.

# IX|IXG SERIES CREATING A COMPREHENSIVE

Engineered with purpose, and leveraging industry standards like SIP and ONVIF®, the IX|IXG seamlessly integrates with all layers of security infrastructure, including IP cameras and VMS solutions.



PARKING LOTS  
PATHWAYS  
REMOTE AREAS



STAIRWELLS  
HALLWAYS  
PARKING GARAGES



RECEPTION DESKS  
OFFICES  
SECURITY CENTERS




ENTRANCES  
GATES  
INTERIOR DOORS



COURTYARDS  
PARKING LOTS  
COMMON AREAS

*Products shown are suggestions; see more online at [Aiphone.com](http://Aiphone.com)*

# SECURITY ECOSYSTEM



Secure your premises with the IX|IXG Series, built to the highest standards for integration and reliability.

## DURABLE DESIGN, WEATHERPROOF PERFORMANCE

Built to withstand the harshest conditions, the IX|IXG series features robust durability, providing protection against weather and vandalism. This ensures reliable performance in any environment. With a variety of mounting options, these devices seamlessly blend into your building's aesthetic.

## SEAMLESS INTEGRATION FOR THE ULTIMATE PROTECTION

Our intercoms are SIP and ONVIF® compliant, allowing seamless integration with leading providers of IP cameras, video management systems, and access control platforms. This open architecture empowers you to build a customized security ecosystem that evolves alongside your needs.

## DOOR STATIONS



**IXG-DM7-HIDA**  
IP Video Entrance Station  
with HID® Card Reader

13-11/16" H 7-3/16" W

- 7" touchscreen
- Customizable welcome display
- Multiple access options
- QR code visitor passes
- Built-in HID® reader
- Tamper sensor
- IK08, IP65
- Flush mount or surface mount with SBX-IXGDM7



**IX-DV**  
IP Video Door Station  
8-1/16" H 4-1/2" W 2-1/6" D  
· HD camera  
· PoE passthrough  
· 2 contact outputs, 6 inputs  
· IK08, IP54  
· Surface mount



IX-DVF-L



IX-DVF-HW



IX-DVF-PR



### IX-EA

IP Video Door Station

6-5/16" H 3-15/16" W 1-3/4" D

- HD camera
- Compact and lightweight design
- 1 contact output, 1 input
- IP54
- Surface mount



### IX-DVM

Mullion-Mount IP Video Door Station

1-7/8" W 6-7/8" H 1-5/16" D

- WDR HD camera
- Optional touchless calling
- 1 contact output, 1 input
- IK07, IP54
- Mullion surface mount




### IX-DVF

IP Video Door Station

10-7/16" H 5-7/8" W

- HD Camera
- PoE passthrough
- Flush mount
- 2 contact outputs, 6 inputs
- IK08, IP65
- Flush mount or surface mount with SBX-IXDVF



### IX-SS-2G

IP Audio Door Station

4-3/4" H 4-3/4" W

- 1 contact output, 1 input
- IK08, IP65
- Flush mount with 2-gang back box or surface mount with SBX-2G/A



IX-DVF-10KP



IX-DVF-4A



IX-DVF-46



IX-NVP



IX-NVP2

With the IX|IXG Series, you have the flexibility to communicate and unlock doors using answering stations, VoIP phones, mobile apps, and PCs.

## INTUITIVE EXPERIENCE

The home screen offers quick access to essential functions like monitoring, call history, favorites, status, settings, and paging.

## CALL TRANSFERS

Its versatile call transfer options include transferring active calls, automatic forwarding when absent, transferring unanswered calls after a set time, and convenient scheduling options.

## MONITORING AND RECORDING

The answering station monitors and records video from connected door stations and network cameras.

## DOOR RELEASE

Tie directly to electric locks or integration with access control solutions to enable remote unlocking of doors from the answering station.

## IXGW-TGW CLOUD GATEWAY

Our Cloud Gateway allows you to answer video intercom calls and remotely unlock doors using your mobile device, either through the IXG mobile app or a regular phone call. It provides a reliable LTE connection via a SIM card for seamless communication, even if your primary network is down.

## ANSWERING STATIONS



**IX-MV7-HB**

**IX-MV7-HW-JP**

Touchscreen Answering Station with Handset

8-1/16" H 11" W 2-3/16" D

- 7" touchscreen
- 8 customizable speed dial buttons
- 2 contact outputs, 4 trigger inputs
- Audio and video recording capability
- Wall or desk mount



**IX-MV7-B**

**IX-MV7-W**

Touchscreen Answering Station

6-3/4" H 8-11/16" W 1-1/4" D

- 7" touchscreen
- 8 customizable speed dial buttons
- 2 contact outputs, 4 trigger inputs
- Audio and video recording capability
- Wall or desk mount



## ACCESSORIES



### IX-SOFT

#### PC Answering Station Software

- Complete answering station features
- 50 customizable speed dial buttons
- Record custom message pages
- Interactive map
- Line supervision and device check



### IXG MOBILE APP

- Video calling and answering
- Remote door release
- Intuitive user interface
- Generate temporary QR code access
- Includes AC Key functionality




### IXGW-TGW

#### Cloud Gateway

- Provides access to AiphoneCloud Remote Management
- Supports up to 9,999 mobile apps

- Allows telephone calls from door and entrance stations
- Available 4G LTE data connection
- Supports eight mobile app calls and one telephone call simultaneously
- DIN rail mountable



### IXW-MAA

#### Multi-Purpose Relay Adaptor

- Ten Form C relay outputs
- Four contact inputs
- 24V AC/DC 500mA relay contact rating
- Mountable to a 170mm DIN rail or directly to a wall



### IPW-1VC

#### Two-Wire Network Adaptor Kit

- Provides PoE with included power supply
- Up to 1,000' on 22AWG wire
- Call up to 5 answering stations up to 500'
- Call up to 3 answering stations up to 1000'



IX-MB



SBX-IXDV30



SBX-2G/A



SBX-IDVF



SBX-IDFRA



SBX-IXGDM7

We provide a unified security communication platform, offering ADA compliant emergency call stations, blue light towers, and compact wall boxes.



## EMERGENCY STATIONS



**IX-DVF-2RA**  
IP Video Emergency Call Station

11-11/16" H 7" W

- HD camera
- ADA compliant raised lettering and braille signage
- Standard and emergency calls
- PoE passthrough
- 2 contact outputs, 6 trigger inputs
- IK08, IP65



**IX-SSA-2RA**  
IP Audio Emergency Call Station

11-11/16" H 7" W


- ADA compliant raised lettering and braille signage
- Standard and emergency calls
- PoE passthrough
- 2 contact outputs, 6 trigger inputs
- IK08, IP65



**IX-DVF-RA**   **IX-SSA-RA**

French versions available:  
IX-DVF-2RA-FR, IX-DVF-RA-FR,  
IX-SSA-2RA-FR, IX-SSA-RA-FR

## TOWERS & WALL BOXES



**TW-TA**

**TW-TE**

Tower

112" H 8" W 8" D

- Beacon is always lit and strobies during emergency call-in

- Available with a combination of a camera arm, speaker, or both

- Durable, lightweight aluminum makes installation easy

- ADA compliant intercom mounting height

- UL-514-A listed electrical box included at the base

- LED for station illumination in station over-hang

**TW-TA-SP**

**TW-TE-SP**

Tower with Speaker

127" H 8" W 8" D

- Beacon is always lit and strobies during emergency call-in

- Available with a combination of a camera arm, speaker, or both

- Durable, lightweight aluminum makes installation easy

- ADA compliant intercom mounting height

- UL-514-A listed electrical box included at the base

- LED for station illumination in station over-hang

**TW-TA-ARM**

**TW-TE-ARM**

Tower with Camera Arm

174" H 8" W 15-3/4" D

- Beacon is always lit and strobies during emergency call-in

- Available with a combination of a camera arm, speaker, or both

- Durable, lightweight aluminum makes installation easy

- ADA compliant intercom mounting height

- UL-514-A listed electrical box included at the base

- LED for station illumination in station over-hang



**WB-HA**

**WB-HE**

Compact Wall Box

27" H 10-13/16" W 4" D

- 12-gauge stainless steel

- ADA compliant 4" depth

- UL Listed electrical box allows power to be installed internally



**WB-CA**

**WB-CE**

**Multiple Tower Options**

## TECHNOLOGY PARTNERS



## CHOSEN BY THOUSANDS OF ORGANIZATIONS



 **AIPHONE**

**UNCOMPROMISED SECURITY**

Powered by Human Connection

[info@aiphone.com](mailto:info@aiphone.com) for sales inquiries

